
## UNPACKING INSTRUCTIONS

FOR

## DU MONT "CLUB" TELESET

It is important that the instructions below be followed to insure proper operation and to provide ease of servicing facilities;

- 1. Remove two (2) chassis hold-down bolts from bottom of cabinet. As you face the front of the cabinet, one bolt will be found about 4" in from the front and 2" in from the right hand side. The other bolt is the same distance in from the front and 18" in from the right side. Both can be removed with an ordinary screw driver. The removal of these two bolts will allow the removal of the main receiver chassis for any servicing reason, without disturbing the position of the cabinet itself.
- 2. The tuning control panel is concealed by a tamper-proof metal box, forming a part of the cabinet. This box cover, or lid, is secured by means of two (2) studs having a "Phillips" type head. A special "Phillips" head screw driver is furnished and attached to this teleset.
- 3. The A.C. Power Cord will be found coiled and laying inside the ventilator slot above the AC Power Cord hole. The AC Power Cord is located on the right side of the cabinet in the rear as you face the front of the cabinet.
- 4. Be sure the control knob marked "Tone-On-Off" is in the "Off" position before the AC cord plug is connected to power receptacle.



FROM DU MONT FOR ATTACHMENT TO THE TELETRON TO IDENTIFY THE SHIPMENT.

THE OBLIGATION OF DU MONT UNDER THIS WARRANTY OF THIS TELETRON IS LIMITED TO THE REPAIR OR REPLACEMENT OF THIS TELETRON, IF IT IS FOUND UPON INSPECTION BY DU MONT AT ITS FACTORY TO BE DEFECTIVE IN MATERIAL OR WORKMANSHIP, AND THE RETURN OR REPLACE-MENT F.O.B. POINT OF SHIPMENT.

THIS WARRANTY DOES NOT APPLY IF THE PURCHASER OF THIS TELETRON HAS NEGLECTED. MISUSED, IMPROPERLY OPERATED OR DAMAGED IT, ACCIDENTALLY OR OTHERWISE, OR IF IT HAS IN ANY WAY BEEN TAMPERED WITH, ALTERED OR REPAIRED BY ANY PERSON OTHER THAN AN AUTHORIZED DU MONT DEALER OR AUTHORIZED DU MONT SERVICE REPRESENTATIVE, OR IF ITS SERIAL NUMBER HAS BEEN ALTERED, DEFACED OR REMOVED. THIS WARRANTY APPLIES SOLELY AND EXCLUSIVELY TO THE TELETRON INSTALLED WITHIN THE TELESET AT THE TIME OF ITS ORIGINAL PURCHASE, AND DOES NOT APPLY TO SUBSEQUENT TELETRON INSTALLATIONS WHICH WILL CARRY THE STANDARD DU MONT WARRANTY APPLYING TO SUCH CATHODE-RAY TUBES.

SUBJECT TO THE CONDITIONS ABOVE STATED, THIS WARRANTY SHALL BE EFFECTIVE ONLY IF THE ATTACHED WARRANTY REGISTRATION CARD HAS BEEN SIGNED BY THE AUTHORIZED DU MONT DEALER WHO SOLD THIS TELESET AND IF SUCH WARRANTY CARD HAS BEEN SIGNED BY THE FIRST PURCHASER FOR USE AND MAILED TO ALLEN B. DU MONT LABORATORIES, INC., 515 MADISON AVENUE. NEW YORK 22, NEW YORK, FOR REGISTRATION. NO PERSON, FIRM, OR REPRESENTATIVE IS AUTHOR-IZED TO ASSUME ANY OBLIGATION OR MAKE ANY GUARANTEE ON BEHALF OF DU MONT OTHER THAN AS STATED ABOVE.

ALLEN B. DU MONT LABORATORIES, INC.

allen 3 Da To

TRADE MARK

PRESIDENT.

IMPORTANT TO THE PURCHASER:

THIS CERTIFICATE MUST BE PROPERLY FILLED OUT, COUNTERSIGNED AND MAILED TO MAKE YOUR TELESET AND TELETRON WARRANTY VALID.

## TELESET\* AND TELETRON\* WARRANTY REGISTRATION

TELESET MODEL NO	CLUB	SERIAL NO		
TELETRON TYPE NO.	15AP4			
PURCHASED FROM(NAME OF DEAL		F DEALER)	DATE PURCHASED	
· · · · · · · · · · · · · · · · · · ·		(ADDRESS)		
PURCHASED BY		(PURCHASER'S NAME)		
		(ADDRESS)		
THIS TELESET HAS BEEN INS	STALLED AND IS OPERATING SA	TISFACTORILY.		
(SIGNA	TURE OF PURCHASER)		(SIGNATURE OF INSTALLER)	-
COUNTERSIGNED BY	DEALER	ВҮ		
AFTER COMPLETION OF THE	S FORM DI FASE MAIL IT TO	ALLEN D. DU MONT LINOR		

\*TRADE MARK

ATT.: INSPECTION AND CONTROL DEPARTMENT 515 MADISON AVENUE, NEW YORK 22, NEW YORK